



3833() SCUFF & CLEAN

TECHNICAL DATA SHEET

Description

3833() SCUFF & CLEAN is formulated for cleaning and scuffing panels when refinishing or blending. Excellent vertical hold allows the surface to be easily cleaned and rinsed while leaving a uniform fine scratch. 3833() breaks down contamination and floats it away while preparing the surface for proper adhesion of repair and refinish materials.

Features

- Excellent abrasive action
- VOC compliant and environmentally safe
- Saves time and labor
- Easy to use tube or convenient pail

Typical Properties

Containers

38338 -16 oz. tube and 38331 – 1 gallon pail

Color

Green

VOC

1.02 #/gl (122.4 g/l)

VOC less exempts

.34 #/gl (40.8 g/l)

Handling and Application

APPLICATION:



1. Apply 3833() SCUFF & CLEAN with a clean gray scuff pad.
2. Scrub panel thoroughly until surface is clean and finish is dull.
3. Rinse with water.
4. Blow dry and repair or refinish as outlined in the SEM RAB-2, PLASTIC REPAIR AND REFINISHING PROCEDURES.

NOTE: The use of a white pad will eliminate random scratches which may be caused by odd grit lumps in gray pads. This is usually most important when refinishing with champagne golds, light silvers and other sensitive colors.

STORAGE:



3833() SCUFF & CLEAN should be stored in a cool dry place with adequate ventilation away from heat, sparks and flames. The shelf life for 3833() is 5 years when stored under normal conditions.

TECHNICAL CONSULTATION SERVICE

Our Technical Staff is ready to assist you with any questions. You are invited to take advantage of our extensive experience, laboratory services and trained field service representatives. Call (800) 831-1122 for answers to your questions. Hours of operation are Monday through Thursday 8:00 am until 5:00 pm EST and on Friday 8:00 am until 4:30 pm EST.

DISCLAIMER: The information supplied in this document is for guidance only and should not be construed as a warranty. All implied warranties are expressly disclaimed. All users of the materials are responsible for assuring that it is suitable for their needs, environment and use. All data subject to change as SEM deems appropriate.

Users should review the Material Safety Data Sheet (MSDS) and product label for the material to determine possible health hazards, appropriate engineering controls and precautions to be observed in using the material. Copies of the MSDS and product label are available upon request.

SEM Products, Inc.
1685 Overview Dr. Rock Hill SC 29730
Tel: 800/ 831-1122
www.semproducts.com